

## LITERATUURLIJST PRESENTATIE OVER DE VELE GEZICHTEN VAN WHIPLASH, 22 NOV 2018

LITERATUUR BIJ DIA 2

**1. Kasch H, Turk CD, Jensen TS. 2016**

Whiplash injury. Perspectives on the development of chronic pain. Wolters Kluwer, Philadelphia, ISBN 9781496333483

LITERATUUR BIJ DIA 4

**1. Cailliet R. 2006**

Whiplash Associated Diseases. American Medical Association. ISBN 1-57947-7747

**2. Croft AC. 2009**

Whiplash and mild traumatic brain injuries. Spine Research Institute of San Diego Press. ISBN 978-0-578-01880-5

**3. <https://chiro-trust.org/whiplash/low-impact-motor-vehicle-collisions-whiplash-injury/>  
Febr.7, 2014**

**4. Croft AC, Freeman MD. 2005**

Correlating crash severity with injury risk, injury severity, and long-term symptoms in low velocity motor vehicle collisions. Med Sci Monit 11 (10): RA316-321

**5. Castro WH, Schilgen M, Meyer S, Weber M, Peuker C, Wortler K. 1997**

Do 'whiplash injuries' occur in low-speed rear impacts? Eur Spine J 6 (6): 366-375

**6. Davies CG. 1998**

Rear-end impacts: vehicle and occupant response. J Manipulative Physiol Ther 21 (9): 629-639

**7. Freeman MD. 2015**

Medicolegal causation analysis of a lumbar spine fracture following a low speed rear impact traffic crash. Journal of Case Reports in Practice 3 (2): 23-29

LITERATUUR BIJ DIA 5

**1. Grauer JN, Panjabi MM, Cholewicki J, Nibu K, Dvorak J. 1997**

Whiplash produces an S-shaped curvature of the neck with hyperextension at lower levels. Spine 22 (21):2489-2494

**2. Panjabi MM, Cholewicki J, Nibu K, Grauer JN, Babat LB, Dvorak J. 1998**

Mechanism of whiplash injury. Clin Biomech (Bristol, Avon) 13 (4-5): 239-249

LITERATUUR BIJ DIA 6

**1. Anderson SE, Boesch C, Zimmermann H, Busato A, Hodler J, Bingisser R, Ulbrich EJ, Nidecker A, Buitrago-Tellez CH, Bonel HM, Heini P, Schaeren S, Sturzenegger M. 2012**

Are there cervical spine findings at MR imaging that are specific to acute symptomatic whiplash injury ?  
A prospective controlled study with four experienced blinded readers. Radiology 262 (2) 567-575

**2. Curatolo M, Bogduk N, Ivancic PC, McLean SA, Siegmund GP, Winkelstein B. 2011**

The role of tissue damage in whiplash associated disorders: Discussion paper 1. Spine 36 (25 Suppl): S309-S315

LITERATUUR BIJ DIA 8

**1. Carroll LJ, Holm LW, Hogg-Johnson S, Cote P, Cassidy JD, Haldeman S, Nordin M, Hurwitz EL, Carragee EJ, van der Velde G, Peloso PM, Guzman J. 2009**

Course and prognostic factors for neck pain in whiplash-associated disorders (WAD): results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and its Associated Disorders. J Manipulative Physiol Ther 32 (2 Suppl): S97-S105

**2. Elliott JM, Noteboom JT, Flynn TW, Sterling M. 2009**

Characterization of acute and chronic whiplash associated disorders. J Orthop Sports Phys Ther 39: 312-323

LITERATUUR BIJ DIA 10

**1. Spitzer WO, Skovron ML, Salmi LR, Cassidy JD, Duranceau J, Suissa S, Zeiss E. 1995**

Scientific monograph of the Quebec Task Force on Whiplash-Associated Disorders: refining 'whiplash' and its management. Spine 20: 8S-58S

LITERATUUR BIJ DIA 12

**1. Jensen MV, Tuchsén F, Orhede E. 1996**

Prolapsed cervical intervertebral disc in male professional drivers in Denmark 1981-1990: a longitudinal study of hospitalisations. Spine 21: 2352-2355

**2. Sane JC, Hope JMV, Diao S, Diouf JD, Kasse AN, Sy MH. 2018**

Early presentation of traumatic cervical disc herniation and without an adjacent bone lesion. Int Orthop doi: 10.1007/s00264-018-4117-2

**3. Croft AC. 2009**

Whiplash and mild traumatic brain injuries. A guide for patients and practitioners. Spine research Institute of San Diego press. Coronado, California, USA

**4. Cornips EM. 2014**

Crippling upper back pain after whiplash and other motor vehicle collisions caused by thoracic disc herniations: report of 10 cases. *Spine* 39 (12): 988-995

**5. Heneghan NR, Smith R, Tyros I, Falla D. Rushton. 2018**

Thoracic dysfunction in whiplash associated disorders: A systematic review. *PLoS One* 13 (3): e0194235

LITERATUUR BIJ DIA 13

**1. Sekula RF, Arnone GD, Crocker C, Aziz KM, Alperin N. 2011**

The pathogenesis of Chiari I malformation and syringomyelia. *Neurol Res* 33 (3): 232-239

**2. Bogdanov EI, Faizutdinova AT, Mendelevich EG, Sozinov AS, Heiss JD. 2018**

Epidemiology of symptomatic Chiari malformation in Tatarstan: regional and ethnic differences in prevalence. *Neurosurgery* doi: 10.1093/neuros/nyy175

**3. Freeman MD, Rosa S, Harshfield D, Smith F. Bennett R, Centeno CJ, Komel E, Nystrom A, Heffez D, Kohles SS. 2010**

A case-control study of cerebellar tonsillar ectopia (Chiari) and head/neck trauma (whiplash). *Brain Inj* 24 (7-8): 988-994

LITERATUUR BIJ DIA 14

**1. Gellhorn AC. 2011**

Cervical facet-mediated pain. *Phys Med Rehabil Clin Am* 22 (3): 445-458

**2. Bogduk N. 2011**

On cervical zygapophysial joint pain after whiplash. *Spine* 36 (25 Suppl): S194-S199

**3. Kirpalani D, Mitra R. 2008**

Cervical facet joint dysfunction: a review. *Arch Phys Med Rehabil* 89 (4): 770-774

**4. Persson M, Sorensen J, Gerdle B. 2016**

Chronic Whiplash Associated Disorders (WAD): responses to nerve blocks of cervical zygapophysial joints. *Pain Med* 17 (12): 2162-2175

**5. Boswell MV, Colson JD, Sehgal N, Dunbar EE, Epter R. 2007**

A systematic review of therapeutic facet joint interventions in chronic spinal pain. *Pain Physician* 10: 229-253

**6. MacVicar J, Borowczyk JM, MacVicar AM, Loughnan BM, Bogduk N, 2012**

Cervical medial branch radiofrequency neurotomy in New Zealand. *Pain Med* 13 (5): 647-654

**7. Smith AD, Jull G, Schneider G, Frizzell B, Hooper RA, Dunne-Proctor R, Sterling M. 2014**

Cervical radiofrequency neurotomy reduces psychological features in individuals with chronic whiplash symptoms. *Pain Physician* 17 (3): 265-274

LITERATUUR BIJ DIA 15

1. **Linnman C, Appel L, Fredrikson M, Gordh T, Soderlund A, Langstrom B, Engler H. 2011**  
Elevated [11C]-D-Deprenyl uptake in chronic whiplash associated disorder suggests persistent musculoskeletal inflammation. PLoS one 6 (4): e19182
2. **Aarnio M, Linnman C, Fredrikson M, Lampa E, Sorensen J, Gordh T. 2018**  
Whiplash injuries associated with experienced pain and disability can be visualised with [11C]-D-deprenyl PET/CT. Submitted for publication 2018 (see also thesis Aarnio, University of Uppsala, Sweden)

LITERATUUR BIJ DIA 16

1. **Dommerholt J, Bron C, Franssen J. 2006**  
Myofascial trigger points: an evidence-informed review. J Manual Manipulative Therapy 14 (4): 203-221
2. **Ettlin T, Schuster C, Stoffel R, Bruderlin A, Kischka U. 2008**  
A distinct pattern of myofascial findings in patients after whiplash injury. Archives of Physical Medicine and Rehab 89 (7): 1290-1293
3. **Castaldo M, Ge HY, Chiarotto A, Villafane HJ, Arendt-Nielsen L. 2014**  
Myofascial trigger points in patients with whiplash-associated disorders and mechanical neck pain. Pain Med 15(5): 842-849
4. **Fernandez –de-las-Penas C, Simons D, Cuadrado ML, Pareja JA. 2007**  
The role of myofascial trigger points in musculoskeletal pain syndromes of the head and neck. Current Pain and Headache Reports 11 (5): 365-372
5. **Botwin KP, Sharma K, Saliba R, Patel BC. 2008**  
Ultrasound-guided trigger point injections in the cervicothoracic musculature: a new and unreported technique. Pain Physician 11 (6): 885-889
6. **Ge HY, Fernandez-de-las-Penas C, Yue WW. 2011**  
Myofascial trigger point: spontaneous electrical activity and its consequences for pain induction and propagation. Chin Med 6: 13 (9 pages)
7. **Dommerholt J, Finnegan M, Hooks T, Chou LW. 2018**  
A critical overview of the current myofascial pain literature -july 2018. J Bodyw Mov Ther 22 (3): 673-684

LITERATUUR BIJ DIA 17

1. **Monfoort I, van der Geest JN, Slijper HP, de Zeeuw CI, Frens MA. 2008**  
Adaptation of the cervico- and vestibulo-ocular reflex in whiplash injury patients. J Neurotrauma 25 (6): 687-693

**2. Yu LJ, Stokell R, Treleaven J. 2001**

The effect of neck torsion on postural stability in subjects with persistent whiplash. *Man Ther* 16 (4): 339-343

**3. Della Casa W, Affolter Helbing J, Meichtry A, Luomajoki H, Kool J. 2014**

Head-eye movement control tests in patients with chronic neck pain; inter-observer reliability and discriminative validity. *BMC Musculoskeletal Disord* 15: 16 (11 pages)

**4. Jorgenson R, Ris I, Falla D, Juul-Kristensen B. 2014**

Reliability, construct and discriminative validity of clinical testing in subjects with and without chronic neck pain. *BMC Musculoskeletal disord* 15: 408 (13 pages)

**5. de Vries J, Ischebeck BK, Lennard P, Voogt LP, Jansen M, Frens MA, Kleinrensink G-J, van der Geest JN. 2016**

Cervico-ocular reflex is increased in people with nonspecific neck pain. *Physical Therapy* 96 (8): 1190-1195

LITERATUUR BIJ DIA 18

**1. Ishikawa S, Yokoyama M, Mizobuchi S, Hashimoto H, Moriyama E, Morita K. 2007**

Epidural blood patch therapy for chronic whiplash-associated disorder. *Anesthesia Analgesia* 105 (3): 809-814

**2. Hashizume K, Watanabe K, Kawaguchi M, Taoka T, Shinkai T, Furuya H. 2012a**

Comparison of computed tomography myelography and radioisotope cisternography to detect cerebrospinal fluid leakage in spontaneous intracranial hypotension. *Spine* 37 (4): E237-E242

**3. Hashizume K, Watanabe K, Kawaguchi M, Fujiwara A, Furuya H. 2012b**

Comparison between computed tomography-myelography and radioisotope-cisternography findings in whiplash-associated disorders suspected to be caused by traumatic cerebrospinal fluid leak. *Spine* 37 (12): E721-E726

**4. Mokri B. 2013**

Spontaneous low pressure, low CSF volume headaches: spontaneous CSF leaks. *Headache* 53 (7): 1034-1053

**5. Hatae R, Kohri R, Maeda K, Myasons M. 2014**

A rare case of Chiari type-1 malformation accompanied by symptomatic cerebrospinal fluid hypovolemia: comparison of congenital Chiari type-1 malformation secondary to cerebrospinal fluid hypovolemia; case report. *Neurol Med Chir (Tokyo)* 54 (7):558-562

LITERATUUR BIJ DIA 19

**1. Elliott JM, O'Leary S, Sterling M, Hendrikz J, Pedler A, Jull G. 2010**

Magnetic resonance imaging findings of fatty infiltrate in the cervical flexors in chronic whiplash. *Spine* 35 (9): 948-954

**2. Elliott J, Pedler A, Kenardy J, Galloway G, Jull G. 2011**

The temporal development of fatty infiltrates in the neck muscles following whiplash injury: an association with pain. PLoS One 6 (6): e21194

**3. Elliott JM, Pedler AR, Jull G, van Wyk L, Galloway GG, O'Leary SP. 2014**

Differential changes in muscle composition exist in traumatic and nontraumatic neck pain. Spine 39 (1): 39-47

**4. Abbott R, Pedler A, Sterling M, Hides J, Murphy T, Hoggarth M, Elliott J. 2015**

The geography of fatty infiltrates within the cervical multifidus and semispinalis cervicis in individuals with chronic whiplash-associated disorders. J Orthop Sports Phys Ther 45 (4): 281-288

**5. Krogh S, Kasch H. 2018**

Whiplash injury results in sustained impairments of cervical muscle function: a one-year prospective, controlled study. J Rehabil Med 50: 548-555